

Literaturverzeichnisse DLVaktuell 4/2022

Zum Artikel „Die Logopädie als Teil des multiprofessionellen Teams“

Attrill, S., White, S., Murray, J., Hammond, S. & Doeltgen, S. (2018). Impact of oropharyngeal dysphagia on healthcare cost and length of stay in hospital: a systematic review. *BMC Health Services Research* 18 (1), 594

Brodsky, M.B., Huang, M., Shanholtz, C. Mendez-Tellez, P.A., Palmer, J.B., Colantuoni, E. & Needham, D.M. (2017). Recovery from dysphagia symptoms after oral endotracheal intubation in acute respiratory distress syndrome survivors. A 5-year longitudinal study. *Annals of the American Thoracic Society* 14 (3), 376-383

Brodsky, M.B., Nollet, J.L., Spronk, P.E. & Gonzáles-Fernández, M. (2020). Prevalence, pathophysiology, diagnostic modalities, and treatment options for dysphagia in critically ill patients. *American Journal of Physical Medicine & Rehabilitation* 99 (12), 1164-1170

Vanhorebeek, I., Latronico, N. & Van den Berghe, G. (2020). ICU-acquired weakness. *Intensive Care Medicine* 46 (4), 637-653

Quellenverzeichnis zum Artikel „Evidenz der Logopädie auf der Intensivstation“

Allinson, L.S., Doyle, L.W., Denehy, L., Spittle, A.J. (2017). Survey of neurodevelopmental allied health teams in Australian and New Zealand neonatal nurseries: Staff profile and standardised neurobehavioural/neurological assessment. *Journal of Paediatrics and Child Health*, 53, 578–584. doi:10.1111/jpc.13484

Altschuler, T., Happ, M.B. (2019). Partnering with speech language pathologist to facilitate patient decision making during serious illness. *Geriatric Nursing*, 40, 333-335. doi:10.1016/j.gerinurse.2019.05.002

Arvedson, J.C., Lefton-Greif, M.A. (2007). Ethical and Legal Challenges in Feeding and Swallowing Intervention for Infants and Children. *Seminars in Speech and Language*, 28(3), 232-238. doi:10.1055/s-2007-984729

Brodsky, M.B., Mayfield, E.B., Diez Gross, R. (2019). Clinical Decision Making in the ICU: Dysphagia Screening, Assessment, and Treatment. *Seminars in Speech and Language*, 40(3), 170-187. doi:10.1055/s-0039-1688980

Brodsky, M.B., Pandian, V., Needham, D.M. (2020). Post-extubation Dysphagia: A Problem Needing Multidisciplinary Efforts. *Intensive Care Medicine*, 46(1), 93–96. doi:10.1007/s00134-019-05865-x

Cardinal, L.A., Freeman-Sanderson, A., Togher, L. (2020). The speech pathology workforce in intensive care units: Results from a national survey. *Australian Critical Care*, 33, 250-258. doi:10.1016/j.aucc.2020.02.003

Craig, J.W., Smith, C. (2020). Risk-adjusted/neuroprotective care services in the NICU: the elemental role of the neonatal therapist (OT, PT, SLP). *Journal of Perinatology*, 40, 549–559. doi:10.1038/s41372-020-0597-1

Cremer, R., Leclerc, F., Lacroix, J. (2009). Children with chronic conditions in pediatric intensive care units located in predominantly French-speaking regions: Prevalence and implications on rehabilitation care need and utilization. *Critical Care Medicine*, 37(4), 1456-1462. doi:10.1097/CCM.0b013e31819cef0c

da Silva, P.S.L., Lobrigate, N.L., Fonseca, M.C.M. (2018). Postextubation Dysphagia in Children: The Role of Speech-Language Pathologists. *Pediatric Critical Care Medicine*, 19(10), e538-e546. doi:10.1097/PCC.0000000000001688

de Mestral, C., Iqbal, S., Fong, N., LeBlanc, J., Fata, P., Razek, T., Khwaja, K. (2011). Impact of a specialized multidisciplinary tracheostomy team on tracheostomy care in critically ill patients. *Canadian Journal of Surgery*, 54(3), 167-172. doi: 10.1503/cjs.043209

Eibl, K. (2022). Kritisch kranke PatientInnen. Besondere Herausforderungen für die SprachtherapeutIn auf der Intensivstation. *forum:logopädie*, 36(4), 10-15

Freeman-Sanderson, A., Ward, E.C., Miles, A., de Pedro Netto, I., Duncan, S., Inamoto, Y., McRae, J., Pillay, N., Skoretz, S.A., Walshe, M., Brodsky, M.B. (2021). A Consensus Statement for the Management and Rehabilitation of Communication and Swallowing Function in the ICU: A Global Response to COVID-19. *Archives of Physical Medicine and Rehabilitation*, 102, 835-842. doi:10.1016/j.apmr.2020.10.113

Happ, M.B., Garrett, K.L., Tate, J.A., DiVirgilio, D., Houze, M.P., Demrici, J.R., George, E., Sereika, S.M. (2014). Effect of a multi-level intervention on nurse-patient communication in the intensive care unit: Results of the SPEACS trial. *Heart & Lung*, 43(2), 89–98. doi:10.1016/j.hrtlng.2013.11.010.

Hongo, T., Yamamoto, R., Liu, K., Yaguchi, T., Dote, H., Saito, R., Masuyama, T., Nakatsuka, K., Watanabe, S., Kanaya, T., Yamaguchi, T., Yumoto, T., Naito, H., Nakao, A. (2022). Association between timing of speech and language therapy initiation and outcomes among post-extubation dysphagia patients: a multicenter retrospective cohort study. *Critical Care*, 26(98), 1-10. doi:0.1186/s13054-022-03974-6

Marvin, S., Thibeault, S., Ehlenbach, W.J. (2019). Post-extubation Dysphagia: Does Timing of Evaluation Matter? *Dysphagia*, 34, 210-219. doi:10.1007/s00455-018-9926-3

Mathisen, B.A., Carey, L.B., O'Brien, A. (2012). Incorporating speech-language pathology within Australian neonatal intensive care units. *Journal of Paediatrics and Child Health*, 48, 823–827. doi:10.1111/j.1440-1754.2012.02549.x

Mcnaughton, P., Webb, S. (Hrsg) (2019). *Guidelines for the Provision of Intensive Care Services*. Edition 2. The Faculty of the Intensive Care Medicine/Intensive Care Society

McManus, B.M., Carle, A.C., Poehlmann, J. (2012). Effectiveness of Part C Early Intervention Physical, Occupational, and Speech Therapy Services for Preterm or Low Birth Weight Infants in Wisconsin, United States. *Academic Pediatrics*, 12(2), 96–103. doi:10.1016/j.acap.2011.11.004

- McRae, J., Montgomery, E., Garstang, Z., Cleary, E. (2020). The role of speech and language therapists in the intensive care unit. *Journal of the Intensive Care Society*, 21(4), 344–348. doi: 10.1177/17511437198756
- Mooney, B., Lawrence, C., Gerosa Johnson, E., Slaboden, A., Ball, K. (2020). How COVID-19 Patients Were Moved to Speak: A Rehabilitation Interdisciplinary Case Series. *HSS Journal* 16(1), 56–63. doi:10.1007/s11420-020-09778-0
- Perry, A., Mallah, M.D., Cunningham, K.W., Christmas, A.B., Marrero, J.J., Gombar, M.A., Davis, M.L., Miles, W.S., Jacobs, D.G., Fischer, P.E., Sing, R.F., Thomas, B.W. (2019). PATHway to success: Implementation of a multiprofessional acute trauma health care team decreased length of stay and cost in patients with neurological injury requiring tracheostomy. *Journal of Trauma and Acute Care Surgery*, 88(1), 176-179. doi:10.1097/TA.0000000000002494
- Ross, K., Heiny, E., Conner, S., Spener, P., Pnieda, R. (2017). Occupational Therapy, Physical Therapy and Speech-Language Pathology in the Neonatal Intensive Care Unit: Patterns of Therapy Usage in a Level IV NICU. *Research in Developmental Disability*, 64, 108–117. doi:10.1016/j.ridd.2017.03.009
- Spronk, P.E., Spronk, L.E.J., Egerod, I., McGaughey, J., McRae, J., Rose, L., Brodsky, M.B. (2022). Dysphagia in Intensive Care Evaluation (DICE): An International Cross-Sectional Survey. *Dysphagia*, doi:10.1007/s00455-021-10389-y
- Treble-Barna, A., Beers, S.R., Houtrow, A.J., Ortiz-Aguayo, R., Valenta, C., Stanger, M., Chrisman, M., Orringer, M., Smith, C.M., Pollon, D., Duffet, M., Choong, K., Watson, R.S., Kochanek, P.M., Fink, E.L. (2019). PICU-based rehabilitation and outcomes assessment: a survey of pediatric critical care physicians. *Pediatric Critical Care Medicine*, 20(6), e274–e282. doi:10.1097/PCC.0000000000001940.
- Turra, G.S., Doederlein Schwartz, I.V., de Almeida, S.T., Martinez, C.C., Bridi, M., Barreto, S.S.M. (2020). Efficacy of speech therapy in post- intubation patients with oropharyngeal dysphagia: a randomized controlled trial. *CoDAS* 33(2), 1-7. doi:10.1590/2317-1782/20202019246
- Wallace, S., McGowan, S., Sutt, A. (2022). Benefits and options for voice restoration in mechanically ventilated intensive care unit patients with a tracheostomy. *Journal of the Intensive Care Society*, 0(0), 1–8. doi:10.1177/17511437221113162